Volume 1 Issue 3 April 2021

sixteen5hundred Spotlight

Mark Your Calendars:

Schedule TODAY to visit our Acoustic and RESIDENTIAL/HOSPITALITY Showcase on display NOW through the end of May!

Location: 2100 Powell St, 2nd Floor Showroom Emeryville, CA 94608

Product Showcase

Manufacturer Webinars: Click to Register!

- OCL Architectural Lighting Introducing Rev Petals
 - Ecosense- What is new in the Lumium Family
- Prudential Lighting Latest Advancements in Linear/Slot Lighting
 - Beta-Calco- Incredible NEW Products

WEBINARS

Targetti Agent News:

Two weeks left to join the hunt!

To celebrate the launch of their new website, join us for a virtual scavenger hunt thorughout the site! Click to join the fun!

The hunt is on.

1



ANDLIGHT VALE:

The Vale series crystallizes light in its

transitional state. The undulating profile of
the lens translates emitted light to a
striking gradient; while its prismatic
surface further carries light across,
creating a soft hue and ambient diffusion.
Technically intricate, Vale optimizes
functionality through its multi directional
luminescence.



BETA-CALCO Bangle:

Bangle™ is a tubular luminous shape that emits light spatially across all planes. It features a highly efficient diffuser which delivers 78 LPW whilst providing uniform illumination. With its distinct combination of aesthetics and high performance it can be used as the sole light source in any environment. With power over aircraft cables as standard, Bangle provides a clean and minimalist architectural installation.

BLACKJACK JackTrack 1.4 System:

JackTack is a versatile system that can suspend any of the BlackJack's multiport pendants and or a linear LED strip in a variety of lengths. It can be flush mounted, stem mounted or suspended and can be built in a linear fixture or in a larger grid to fit a large range of applications.



HYDREL SAF Architectural Floodlights:

Great beams come in small form factors.

With smooth edges and a minimalist design, the SAF family delivers powerful lumen output and precise distributions.

With three sizes, twelve beam spread options, multiple mounting and accessory options, and five standard color temperatures (plus amber) this luminaire is the "Swiss army knife" of the flood light world.





PINNACLE Chute:

Chute is comprised of a fully concealed indirect light source. Light rebounds into the space off the highly reflective, single-piece reflector system. Made of a highly durable, robust material, the reflector system is installed at the factory and ships within the fixture. It has a transparent coextruded Light Protection Guard (LPG) that shields all LED components while offering a smooth, wipeable surface.



PRUDENTIAL BionicPro:

A complete family of 2" – 3" – 4" – 5"

apertures, linear and recessed, all with a

continuous seamless lens.

Breakthrough technology in controlling

and shaping light with Prudential's

patented TruBeam optics all with industrybest delivered lumens, efficacy and

distributions.

SPI Zynn 2:

Available in diameters of 2' to 16', the
Zynn 2" Ring family is offered in every
size needed to fit your need. With three
distributions (direct/indirect, direct, and
indirect) and three output options the Zynn
2" Ring gives you the ability to select the
combination of light that's best suited
for your environment. Handcrafted with
incredible attention to detail, the luminaire
exhibits the exceptional refinement that
matters to you.



TESLYTE HR-TD Series:

light distributions and stainless steel construction Teslyte's IP67 handrail pucks offer a long lasting durability and withstand high-traffic use. The Teslyte HR-TD Series is an inconspicuous recessed handrail light that serves as an exceptional lighting source for stairways making it ideal to illuminate stairways and walkways of residential, commercial and hospitals alike.



Controls Insider:



Sensor Switch Switches Update (WSXA/WPD):

The new and improved wall switch devices from Sensor Switch are designed for both commercial and residential applications. With the WPD (Forward -Phase Dimmer Switch) that works with most dimmable incandescent, LED and CFL lamp fixtures the easy configuration allows the user to provide on/off and dimming controls with single-pole or 3-way control with a regular on/off mechanical switch. The WSXA is truly an all-in-one solution that is designed for convenience. Not only does it combine multiple energy saving strategies including 0-10v dimming it also offers multi-way controls! These new and improved screwless wall plate designs makes for easier installation and more modern aesthetic. Hardware samples can be provided at your request!

Sensor Switch Mobile APP:

The Sensor Switch Mobile App allows for contractors to easily program sensors using a mobile device. The technology uses your smartphone's camera flash or Bluetooth wireless technology to configure settings on VLP-enabled Sensor Switch Occupancy sensors, photocontrols and luminaire-embedded sensors. Simply set occupancy time delay, trim values, photocontrol options and more with this visually intuitive tool. Sensor customization has never been easier! For more details and live demos check out the link or contact us to schedule a training!



Constructive Corner:

Fire Rating for Multi-Family Building Webinar April 7th at 1:30pm

California is currently experiencing changes to its multi-family building sector.

With these changes, fire safety has grown in importance. Make sure your lighting is specified to UL 263 standards.

In this co-sponsored, 30-minute event, experts from Acuity Brands® and 16500 will break down the misconceptions around UL 263 fire rating so that you can make the best decisions when choosing lighting for your multi-family projects.

REGISTER NOW

Lithonia Basics Exit Signs and Combos are now Switchable:

The EXRG and ECRG contain an internal red/green LED switch as well as four (two green, two red) faceplate lens inserts to easily change the letter color of the sign. This product comes standard three-face, which includes an extra face plate with red and green inserts to change a single face sign to a double face sign. Both the EXRG and ECRG come standard universal mount – top, end or back mounting with snap-out and snap-in chevrons, making it the most field-configurable, universal emergency exit combo on the market today.








ECRG RD



ECRG SQ



Introducing Juno Podz:

Key Features:

Available in 4", 5" and 6" apertures

Switchable CCTs: 2700K, 3000K, 3500K, 4000K, 5000K

Switchable Lumens: 700L, 1000L, 1200L

Standard WarmDim setting that warms the LED CCT from

2850K to 1900K over the dimming range

5 trim finishes to choose from

Less than 3" deep

120V Forward/Reverse Phase Cut, 5% dim -or- Multi-Volt

(120-277), 0-10V, 10% dim

IC Rated

Wet location listed

Exceptional glare control

Universal Remodel Junction Box for remodel installations

New Construction Mounting Frame for new construction

ENERGY STAR and T24 standards

New Faces:



Check out our monthly Short Digitals for a chance to win a Grand Prize!

Short Digital

