Volume 1 Issue 2

February 2021

View this email in your browser



Spotlight

MARK YOUR CALENDARS:

Schedule TODAY to visit our ACOUSTIC Showcase on display NOW through March 30th! Located: 2100 Powell St, Emeryville, CA 2nd Floor Show Room

Acoustic Showcase

Click below to see our webinar schedule!

Webinars

Monthly Product Update:





Eureka Sail: lighting is an original form created from a single piece of folded metal to form a delicate yet modern pendant luminaire. The state of the art low wattage OLED source provides glare free illumination making this fixture the perfect centerpiece to a cozy experience.




3G Lighting's new 3.3" cylinder series checks all the boxes we love to see when it comes to new luminaire design. The versatility provided by the small form factor square and cylindrical forms available with or without an adjustable gimbel makes this product more unique and functional than all in the same class.



SoftForm Biophilic Design: With their fabric highly diffuse fabric stretched large and small form products SoftForm lighting meets all Biophilic design goals associated with luminaires. Addiitonal benefits include potential use to achieve Well Building certification as well as sount attention properties.




Modern Forms: This Mykonos smart fan offers timeless design at a reasonable price. The five available housing finishes and five blade finishes make this product highly adaptable for any project. The integral LED source is available in 2700K, 3000K and 3500K and offers up to 1110LM. The Modern Forms app allows control to be maximized by establishing optimized schedules based on behavior and reduction of energy costs via connection to a WIFI enabled thermostat.



The Arctic series by Delray lighting is available in 20" and 24" diameters in RGBW as well as multiple static white options. A simple RGBW wall mounted control allows this luminaire to create a statement in any space. The handblown, triplex glass shade includes a matte finish which adds to the beauty of this fixture on or off.



Amico LP6 MRI Downlight: The non-ferrous LP6 light fixture is designed for MRI suite applications. It can be mounted directly into a dry wall ceiling or a suspended ceiling grid using the optional Suspended Ceiling Mounting Bracket Assembly. The LP6 Contains no on-board electronics therefore will not interfere with MRI imaging. With a total depth of 2 3/8", the low profile form factor allows for installation in even the most crowded of plenum spaces.




Targetti FORTYEIGHT LABEL projectors are available in three sizes. Specially designed for applications in the retail, interior and hotel sectors with a simple, minimal shape and small dimensions. All versions utilize remote power supplies to minimize visual impact. A new range with a miniaturized LABEL 2 (Ø0.79"), LABEL 4 (Ø1.57") and LABEL 6 (Ø2.32"), all equipped with Ra90 LED sources and professional performance.



An original, ground-breaking product design from PureEdge Lighting! Lazer Line 1/2" wide aluminum tape is a Direct and/or Indirect LED Lighting System that provides general illumination in architectural applications. The turnbuckles can be mounted wall to wall, ceiling to floor, or ceiling to wall. The turnbuckles allow Lazer Line to be positioned 0-60° relative to the mounting surface, creating a 3dimensional appearance that is as functional as it is visually interesting.

Controls Insider

Spec.Build (Division 26):



Spec.Build (Division 26):

The Spec.build tool is an Acuity Brands development that allows specifiers, contractors and even end-users to generate both performance and product based specifications. This tool allows for the creation of specifications to meet the owner's intentions that will comply with the latest technology and quality standards. Empowering you with the ability to deliver high-value projects through optimized energy efficiency, improved occupant comfort, reduction in costs and enhanced services and experiences for your clients. 16500 also has pre-generated Division 26 specification. Find them in our lighting controls "downloads" section! (see below)

Lighting Controls	
Products Services	Downloads
campus all over the bay area. X550 is your prime and Field service on the nLight system.	for more than 10 years, riLight is installed in buildings and local hears to provide Support, application designs, and wnNoad
Typical nLight Solution (Hybrid) Drawing Package	16500 nLight solution typical CAD File

Methodik:



	Establish a Baseline Sequence of Operations
	Establish a Baseline Sequence of Operations
D	
	Design Guidelines 👻
В	Building Type
(OPEN PREVIOUS SESSION

Methodik:

120	1		winne		1	time the	-	1	Ŧ	1	-	Section.	1	ALCO DO	1	1	1			
fraction of the		-			-	-	-		-	-	-	13	-		-	0				
manual of the	22	-	2				-	÷.	8	-	8				6	0				
Caluma a g						0			0			D				0				
Column 1 a						0	0		0		0	0	n		0	0		_		
in it is		-				0	0		0	0	DC.	0			0	17	- 1			
tain a C		(line)	0			-			-		0					10		_		
mand is to		11-00-1				0		.0	0			0			0	0	1			
2011	1 0	itee -				0		0	0	.0	0	8	0		а.	σ.				
binkers (line.										0	0		a i	0				
		1144.1				0			0	0	0	0	0					_		
instance in		line -	-			0			a.	0	D.	ō.	0		ġ	D		_		
Instant of C				1011010	100.000		0	0	0	0	G					0				
Bulling Factor of C		-	0	100.000	41.41			0	0	D	0					D				
	1.10.00	122.00		strend of the	A pho 1 no en el pitro en el las este el aporte elles el las idades de elles el las ignejo her	***		C 40.000												
24-12-00	-	The Transf	-		Dengini Angeronen monorala		an being	in a second										-		
:		angester nætter tengine			1	Annual Annua		ana. Tan												

Newly released, Methodik is an online, fast, free tool that generates sequence of operations quickly. Designed to save time and increase your productivity. Methodik can export SOO for your project into DXF, PDF, and CSV to be included in your electrical set or apart of any project deliverable. Additionally it can provide recommendations on products that can be used in each space with fixtures and controls side by side. Contact us for a quick demo or additional information on this tool!

Short Digitals

Constructive Corner

The Switchable CPX[™] LED Flat Panel Now Comes in a 1x4 !!

Everything you love about the flexible CPX now available in this highly requested size.

Adjustable Lumen Output (ALO) Switchable CCTs (SWW) MVOLT (120-277V) 1x4, 2x2 and 2x4

Acuity's Wafer now offers 5CCTs, 2 great looks and is branded JUNO !



Acuity's E Series downlight retrofits are now 5CCT and branded JUNO !



Introducing the new ESX1 LED area luminaire

Get the Best Product, at the Best Price, with the Best Delivery. Eight in-stock versions of the ESX1 provide the best combination of lumens, optics, color temperatures, voltages and mounting configurations for replacing 150W to 400W HID luminaires in a wide variety of applications, delivering up to 76% energy savings.

-	Lumens High	Lumens Low	HID Replacement
ESX1 LED P2	14,000	8,000	150W - 250W
ESX1 LED P4	25,000	21,000	400W

Adjustable Light Output (ALO) technology: Internal bi-level switch with two light levels for greater flexibility within one product.



Reversible arm / mounting: All luminaires feature a reversible arm that allows for mounting on both round and square poles.

New Faces



Meet Krista Taylor! Our newest member of our specification sales team!

Download the complete pdf for even more information about these new exciting products!

PDF DOWNLOAD



Copyright © 2021 sixteen5hundred, All rights reserved.

Want to change how you receive these emails? You can <u>update your preferences</u> or <u>unsubscribe from this list</u>.

