


PIXEL GRAZE™



Client:

Project:

Type:

Order Code:

Quantity:

The **Pixel Graze** is a high power, indoor/outdoor LED fixture with quad color spectrum or dynamic white options. It is available in 1' and 4' sections, features a compact profile, and offers best in class color mixing and saturation. A robust IP66 housing, and multiple control options - including pixel control, round out a feature set that make it a perfect option for any structure that calls for indoor or outdoor linear grazing.

SPECIFICATIONS


Color	RGBW w/ Spectrum Technology (W=3000K), DW (2700K-6000K)
Beam Angle	10° x 10°, 10° x 60°, 30° x 60°, 60° x 60°
Max Fixtures In Series	25' (7.6m), with individual pixel control / 45' (13.7m) with 1' sectional control
Total Lumens	435 per foot (RGBW, 10° x 60°)
Control Options	Individual pixel control (5 x multi-color LED per foot) or sectional control in 1' increments
Control	DMX + RDM
Mounting	Non-adjustable & 30° swivel mount included, 90° swivel mount optional
Power Consumption	30W (1'), 105W (4')
Operating Voltage	100-277VAC, 50/60 Hz
Lumen Maintenance	L70 @ 150,000 Hours (25° C)
Finish	Anodized brushed aluminum, corrosion resistant, marine coated option available
Housing Material	Aluminum; Glass Lens
Ambient Operating Temperature	-40°F to 122°F (-40°C to 50°C)
IP Rating	IP66, Wet Location
Fixture Connectors	Multipin IP67 Connectors, End to end jumpers attached to each fixture
Warranty	5 Years, Limited
Weight	1' - 2.8 lbs. (1.27 kg), 4' - 11.2 lbs (5 kg)
Dimensions	See page 2 for dimensions on each mount option

Certifications




ORDER CODES

* Indicates Special Order




DIMENSIONS

Non-Adjustable Bracket Dimensions



30° Adjustable Bracket Dimensions



RELATED COMPONENTS

Connection Cables



H6FC10
10' Feed Cable For Pixel Graze + End Cap
Powers up to 45' (13.7m)




H6LC1
1' Link Cable for Pixel Graze



H6LC5
5' Link Cable for Pixel Graze




H6LC10
10' Link Cable for Pixel Graze



H6EC
End Cap for Pixel Graze


Mounting Accessories



PGAEB6
6" Extender Bar for Pixel Graze

PGAEB12
12" Extender Bar for Pixel Graze


PGAEB36
36" Extender Bar for Pixel Graze



PGA90B
Optional 90° Bracket for Pixel Graze

RELATED COMPONENTS (Con't)

Louvers




PGALV12

12" Louver for Pixel Graze, Aluminum

PGALV48

48" Louver for Pixel Graze, Aluminum

Fixture Setup Accessories



XMT350

DMX + RDM Addressing and Testing Tool